



AIRMASTER

AM 5.5X-15 **MAXI**

5,5 - 15 kW

Oil-injected screw compressors
Belt driven, fixed speed





Discover the benefits of Schneider Airsystems

Founded in 1966, **SCHNEIDER** has become a leading global supplier of compressed air solutions. Its product portfolio covers all compressed air areas: the generation, conditioning, distribution and usage of compressed air. This way we always know what is really important for the profitable operation of your company.




OUR SOLUTIONS:

- High-performance and user-oriented products from the generation to usage
- Innovations and further development of the product portfolio according to customer requirements
- Quality management for assuring the highest quality standards


Meet your new workmate


Your comfort matters. Therefore, **SCHNEIDER** created a small screw compressor with an extremely low noise level, comparable to your air conditioning system. Very compact and easy to install, **SCHNEIDER AIRMASTER MAXI** compressors offer excellent savings on installation and piping costs, especially on the compact model with dryer.





A safe investment for continuous use

SCHNEIDER AIRMASTER MAXI compressors are 30% more efficient than piston compressors and have a longer lifetime due to less vibration and fewer moving parts.






Compressed air
Air/ Oil
Oil




Efficient cooling

A coaxial fan provides excellent cooling of all the internal components, better than water cooled systems. This leads into higher efficiency and better reliability in operation.



Easy and cost effective maintenance


Long service intervals and external oil level check. Quick access to air & oil filters, air & oil separator, oil fill & drain.



Reliability, efficiency and robustness

The most advanced technologies in rotor design and oil household. Optimized seal arrangements and bearings.







2



4



5



Airmaster MAXI Series Dryer versions

Extra compact, cost efficient and easy installation where moisture free air is required.




4

Infologic2 Basic Controller

Advance monitoring and simple day-to-day configuration and control for your compressor.

- Pressure and temperature readings.
- Running hours, load hours.
- Maintenance warnings.
- Failure alarms.
- Fast pressure setting directly on the controller.



5

Less noise and more energy saving

The automatic condensate drain discharges only water, no air. This silent process respects your working environment.

Airmaster MAXI Series 5,5 - 15 kW



Power sizes 5,5 - 15 kW

Type	Item name	Item number	Pressure (Bar)	Air displ. (l/min)	Voltage	Motor power (kW)	Vessel size (L)	Weight (kg)	Noise level dB(A)	Dimensions (cm)
MAXI Floor mounted Only 0,53 m ² 	AM B 5-8 MAXI	4152023900	8	846	400	5,5		172	64	850 x 720 x 980
	AM B 7-8 MAXI	4152023902	8	1140	400	7,5		175	65	850 x 720 x 980
	AM B 11-8 MAXI	4152023905	8	1620	400	11,0		192	69	850 x 720 x 980
	AM B 15-8 MAXI	4152023908	8	1860	400	15,0		209	71	850 x 720 x 980
	AM B 5-10 MAXI	4152023901	10	696	400	5,5		172	64	850 x 720 x 980
	AM B 7-10 MAXI	4152023903	10	996	400	7,5		175	65	850 x 720 x 980
	AM B 11-10 MAXI	4152023906	10	1416	400	11,0		192	69	850 x 720 x 980
	AM B 15-10 MAXI	4152023909	10	1680	400	15,0		209	71	850 x 720 x 980
	AM B 7-13 MAXI	4152023904	13	780	400	7,5		175	65	850 x 720 x 980
	AM B 11-13 MAXI	4152023907	13	1152	400	11,0		192	69	850 x 720 x 980
MAXI Tank mounted Only 1,26 m ² (500 L vessel size) 	AM B 15-13 MAXI	4152023910	13	1332	400	15,0		209	71	850 x 720 x 980
	AM B 5-8-270 XB MAXI	4152023911	8	846	400	5,5	270	219	64	1543 x 720 x 1337
	AM B 7-8-270 XB MAXI	4152023915	8	1140	400	7,5	270	240	65	1543 x 720 x 1337
	AM B 11-8-270 XB MAXI	4152023920	8	1620	400	11,0	270	255	69	1543 x 720 x 1337
	AM B 15-8-270 XB MAXI	4152023925	8	1860	400	15,0	270	270	71	1543 x 720 x 1337
	AM B 5-10-270 XB MAXI	4152023912	10	696	400	5,5	270	219	64	1543 x 720 x 1337
	AM B 7-10-270 XB MAXI	4152023916	10	996	400	7,5	270	240	65	1543 x 720 x 1337
	AM B 11-10-270 XB MAXI	4152023921	10	1416	400	11,0	270	255	69	1543 x 720 x 1337
	AM B 15-10-270 XB MAXI	4152023926	10	1680	400	15,0	270	270	71	1543 x 720 x 1337
	AM B 5-8-500 XB MAXI	4152023913	8	846	400	5,5	500	272	64	1945 x 720 x 1468
	AM B 7-8-500 XB MAXI	4152023917	8	1140	400	7,5	500	295	65	1945 x 720 x 1468
	AM B 11-8-500 XB MAXI	4152023922	8	1620	400	11,0	500	312	69	1945 x 720 x 1468
	AM B 15-8-500 XB MAXI	4152023927	8	1860	400	15,0	500	325	71	1945 x 720 x 1468
	AM B 5-10-500 XB MAXI	4152023914	10	696	400	5,5	500	272	64	1945 x 720 x 1468
	AM B 7-10-500 XB MAXI	4152023918	10	996	400	7,5	500	295	65	1945 x 720 x 1468
	AM B 11-10-500 XB MAXI	4152023923	10	1416	400	11,0	500	312	69	1945 x 720 x 1468
	AM B 15-10-500 XB MAXI	4152023928	10	1680	400	15,0	500	325	71	1945 x 720 x 1468
	AM B 7-13-500 XB MAXI	4152023919	13	780	400	7,5	500	325	65	1945 x 720 x 1468
	AM B 11-13-500 XB MAXI	4152023924	13	1152	400	11,0	500	344	69	1945 x 720 x 1468
	AM B 15-13-500 XB MAXI	4152023929	13	1332	400	15,0	500	357	71	1945 x 720 x 1468
MAXI Tank mounted + dryer Only 0,99 m ² (270 L vessel size) 	AM B 5-8-270 XBDK MAXI	4152023930	8	846	400	5,5	270	244	64	1543 x 720 x 1337
	AM B 7-8-270 XBDK MAXI	4152023934	8	1140	400	7,5	270	272	65	1543 x 720 x 1337
	AM B 11-8-270 XBDK MAXI	4152023939	8	1620	400	11,0	270	296	69	1543 x 720 x 1337
	AM B 15-8-270 XBDK MAXI	4152023944	8	1860	400	15,0	270	311	71	1543 x 720 x 1337
	AM B 5-10-270 XBDK MAXI	4152023931	10	696	400	5,5	270	244	64	1543 x 720 x 1337
	AM B 7-10-270 XBDK MAXI	4152023935	10	996	400	7,5	270	272	65	1543 x 720 x 1337
	AM B 11-10-270 XBDK MAXI	4152023940	10	1416	400	11,0	270	296	69	1543 x 720 x 1337
	AM B 15-10-270 XBDK MAXI	4152023945	10	1680	400	15,0	270	311	71	1543 x 720 x 1337
	AM B 5-8-500 XBDK MAXI	4152023932	8	846	400	5,5	500	297	64	1945 x 720 x 1468
	AM B 7-8-500 XBDK MAXI	4152023936	8	1140	400	7,5	500	320	65	1945 x 720 x 1468
	AM B 11-8-500 XBDK MAXI	4152023941	8	1620	400	11,0	500	342	69	1945 x 720 x 1468
	AM B 15-8-500 XBDK MAXI	4152023946	8	1860	400	15,0	500	354	71	1945 x 720 x 1468
	AM B 5-10-500 XBDK MAXI	4152023933	10	696	400	5,5	500	297	64	1945 x 720 x 1468
	AM B 7-10-500 XBDK MAXI	4152023937	10	996	400	7,5	500	320	65	1945 x 720 x 1468
	AM B 11-10-500 XBDK MAXI	4152023942	10	1416	400	11,0	500	342	69	1945 x 720 x 1468
	AM B 15-10-500 XBDK MAXI	4152023947	10	1680	400	15,0	500	354	71	1945 x 720 x 1468
	AM B 7-13-500 XBDK MAXI	4152023938	13	780	400	7,5	500	352	65	1945 x 720 x 1468
	AM B 11-13-500 XBDK MAXI	4152023943	13	1152	400	11,0	500	372	69	1945 x 720 x 1468
	AM B 15-13-500 XBDK MAXI	4152023948	13	1332	400	15,0	500	386	71	1945 x 720 x 1468



SCHNEIDER AIRSYSTEMS - screw compressors portfolio



ENTRY Series:



Professional ENTRY floor mounted



Professional ENTRY with dryer



Professional ENTRY tank mounted



MAXI Series:



Professional MAXI floor mounted



Professional MAXI tank mounted with dryer



Professional MAXI tank mounted



INDUSTRY Series:



Professional INDUSTRY floor mounted / with dryer



Professional INDUSTRY tank mounted with or without dryer




INDUSTRY PLUS Series:



Professional INDUSTRY floor mounted / with dryer



Professional INDUSTRY tank mounted with or without dryer



INDUSTRY VARIABLE SPEED Series:



Professional INDUSTRY floor mounted / with dryer



Professional INDUSTRY tank mounted with or without dryer



The World of Schneider Airsystems



Care. Trust. Efficiency.

Care

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

Trust

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

Efficiency

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.

Your Authorized Distributor

Schneider Airsystems
MultiAir Italia S.r.l. - International
via Cristoforo Colombo, 3
10070 Robassomero,
Italy

export@multiairitalia.com



© 2021 SCHNEIDER All right reserved. All mentioned brands, product names, company names, trademarks and service marks are the properties of their respective owners. Our products are constantly being developed and improved. We thus reserve the right to modify product specifications without prior notice. Pictures are not contractually binding.